

**APPLICABILITY CONFORMITY ANALYSIS**

Urbemis 2007 Version 9.2.2

Combined Annual Emissions Reports (Tons/Year)

File Name: H:\Projects9\_28\salt ponds\General\_Conformity\2007NoActionOperation.urb9

Project Name: 2007-No Action-Operation

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2007 TOTALS (tons/year unmitigated)	0.03	0.21	0.13	0.00	0.00	0.02	0.02	0.00	0.02	0.02	17.76

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.00	0.00	0.02	0.00	0.00	0.00	1.35

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.00	0.00	0.02	0.00	0.00	0.00	1.35

10/1/2007 2:06:21 PM

Construction Unmitigated Detail Report:

CONSTRUCTION EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2007	0.03	0.21	0.13	0.00	0.00	0.02	0.02	0.00	0.02	0.02	17.76
Fine Grading 05/01/2007-09/30/2007	0.03	0.21	0.13	0.00	0.00	0.02	0.02	0.00	0.02	0.02	17.76
Fine Grading Dust	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Off Road Diesel	0.03	0.21	0.11	0.00	0.00	0.02	0.02	0.00	0.02	0.02	15.85
Fine Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Worker Trips	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.90

Phase Assumptions

Phase: Fine Grading 5/1/2007 - 9/30/2007 - Type Your Description Here

Total Acres Disturbed: 0

Maximum Daily Acreage Disturbed: 0

Fugitive Dust Level of Detail: Default

20 lbs per acre-day

On Road Truck Travel (VMT): 0

Off-Road Equipment:

1 Pumps (53 hp) operating at a 0.74 load factor for 8 hours per day

Operational Unmitigated Detail Report:

OPERATIONAL EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

<u>Source</u>	ROG	NOX	CO	SO2	PM10	PM25	CO2
Inspections	0.00	0.00	0.02	0.00	0.00	0.00	1.35
TOTALS (tons/year, unmitigated)	0.00	0.00	0.02	0.00	0.00	0.00	1.35

Operational Settings:

Does not include correction for passby trips

Does not include double counting adjustment for internal trips

Analysis Year: 2007 Season: Annual

Emfac: Version : Emfac2007 V2.3 Nov 1 2006

Summary of Land Uses

Land Use Type	Acreage	Trip Rate	Unit Type	No. Units	Total Trips	Total VMT
Inspections		0.57	acres	1.00	0.57	8.55
					0.57	8.55

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Auto	50.0	2.0	97.6	0.4
Light Truck < 3750 lbs	50.0	3.7	90.8	5.5
Light Truck 3751-5750 lbs	0.0	0.9	98.6	0.5
Med Truck 5751-8500 lbs	0.0	1.1	98.9	0.0
Lite-Heavy Truck 8501-10,000 lbs	0.0	0.0	75.0	25.0
Lite-Heavy Truck 10,001-14,000 lbs	0.0	0.0	50.0	50.0

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Med-Heavy Truck 14,001-33,000 lbs	0.0	0.0	20.0	80.0
Heavy-Heavy Truck 33,001-60,000 lbs	0.0	0.0	0.0	100.0
Other Bus	0.0	0.0	0.0	100.0
Urban Bus	0.0	0.0	0.0	100.0
Motorcycle	0.0	77.1	22.9	0.0
School Bus	0.0	0.0	0.0	100.0
Motor Home	0.0	10.0	80.0	10.0

Travel Conditions

	Residential			Commercial		
	Home-Work	Home-Shop	Home-Other	Commuter	Non-Work	Customer
Urban Trip Length (miles)	15.0	15.0	15.0	15.0	15.0	15.0
Rural Trip Length (miles)	15.0	15.0	15.0	15.0	15.0	15.0
Trip speeds (mph)	35.0	35.0	35.0	35.0	35.0	35.0
% of Trips - Residential	100.0	0.0	0.0			
% of Trips - Commercial (by land use)						
Inspections				0.0	0.0	100.0

Urbemis 2007 Version 9.2.2

Combined Annual Emissions Reports (Tons/Year)

File Name: H:\Projects9\_28\salt ponds\General\_Conformity\2008Phase1ActionsConstruction.urb9

Project Name: 2008-Phase 1 Actions-Construction

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2008 TOTALS (tons/year unmitigated)	4.22	42.93	17.10	0.00	0.01	1.71	1.72	0.00	1.57	1.58	4,152.49

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.08	0.09	1.12	0.00	0.01	0.00	71.10

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.08	0.09	1.12	0.00	0.01	0.00	71.10

Construction Unmitigated Detail Report:

CONSTRUCTION EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
------------	------------	-----------	------------	------------------	---------------------	-------------	-------------------	----------------------	--------------	------------

10/1/2007 3:01:48 PM

2008	4.22	42.93	17.10	0.00	0.01	1.71	1.72	0.00	1.57	1.58	4,152.49
Fine Grading 05/01/2008-09/30/2008	4.22	42.93	17.10	0.00	0.01	1.71	1.72	0.00	1.57	1.58	4,152.49
Fine Grading Dust	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Off Road Diesel	4.17	42.79	15.61	0.00	0.00	1.71	1.71	0.00	1.57	1.57	4,025.59
Fine Grading On Road Diesel	0.00	0.05	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.04
Fine Grading Worker Trips	0.04	0.09	1.48	0.00	0.01	0.00	0.01	0.00	0.00	0.00	120.86

Phase Assumptions

- Phase: Fine Grading 5/1/2008 - 9/30/2008 - Default Fine Site Grading Description
- Total Acres Disturbed: 0
- Maximum Daily Acreage Disturbed: 0
- Fugitive Dust Level of Detail: Default
- 20 lbs per acre-day
- On Road Truck Travel (VMT): 27.52
- Off-Road Equipment:
  - 3 Cranes (399 hp) operating at a 0.43 load factor for 12 hours per day
  - 3 Excavators (168 hp) operating at a 0.57 load factor for 12 hours per day
  - 3 Forklifts (145 hp) operating at a 0.3 load factor for 12 hours per day
  - 9 Generator Sets (549 hp) operating at a 0.74 load factor for 12 hours per day
  - 3 Off Highway Trucks (479 hp) operating at a 0.57 load factor for 12 hours per day
  - 3 Other Equipment (190 hp) operating at a 0.62 load factor for 12 hours per day
  - 3 Other General Industrial Equipment (238 hp) operating at a 0.51 load factor for 12 hours per day
  - 3 Plate Compactors (8 hp) operating at a 0.43 load factor for 12 hours per day
  - 3 Pumps (53 hp) operating at a 0.74 load factor for 12 hours per day
  - 3 Rollers (95 hp) operating at a 0.56 load factor for 12 hours per day
  - 3 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 12 hours per day
  - 6 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 12 hours per day
  - 3 Water Trucks (189 hp) operating at a 0.5 load factor for 12 hours per day

Operational Unmitigated Detail Report:

OPERATIONAL EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

Source	ROG	NOX	CO	SO2	PM10	PM25	CO2
Worker Commute	0.08	0.09	1.12	0.00	0.01	0.00	71.10
TOTALS (tons/year, unmitigated)	0.08	0.09	1.12	0.00	0.01	0.00	71.10

Operational Settings:

Does not include correction for passby trips

Does not include double counting adjustment for internal trips

Analysis Year: 2008 Season: Annual

Emfac: Version : Emfac2007 V2.3 Nov 1 2006

Summary of Land Uses

Land Use Type	Acreage	Trip Rate	Unit Type	No. Units	Total Trips	Total VMT
Worker Commute		22.60	acres	1.00	22.60	452.00
					22.60	452.00

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Auto	50.0	2.0	97.6	0.4
Light Truck < 3750 lbs	50.0	3.7	90.8	5.5



Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Truck 3751-5750 lbs	0.0	0.9	98.6	0.5
Med Truck 5751-8500 lbs	0.0	1.1	98.9	0.0
Lite-Heavy Truck 8501-10,000 lbs	0.0	0.0	75.0	25.0
Lite-Heavy Truck 10,001-14,000 lbs	0.0	0.0	50.0	50.0
Med-Heavy Truck 14,001-33,000 lbs	0.0	0.0	20.0	80.0
Heavy-Heavy Truck 33,001-60,000 lbs	0.0	0.0	0.0	100.0
Other Bus	0.0	0.0	0.0	100.0
Urban Bus	0.0	0.0	0.0	100.0
Motorcycle	0.0	77.1	22.9	0.0
School Bus	0.0	0.0	0.0	100.0
Motor Home	0.0	10.0	80.0	10.0

Travel Conditions

	Residential			Commercial		
	Home-Work	Home-Shop	Home-Other	Commuter	Non-Work	Customer
Urban Trip Length (miles)	20.0	20.0	20.0	20.0	20.0	20.0
Rural Trip Length (miles)	20.0	20.0	20.0	20.0	20.0	20.0
Trip speeds (mph)	35.0	35.0	35.0	35.0	35.0	35.0
% of Trips - Residential	100.0	0.0	0.0			
% of Trips - Commercial (by land use)						
Worker Commute				0.0	0.0	100.0

Detail Report for Annual Construction Unmitigated Emissions (Tons/Year)

File Name: H:\Projects9\_28\salt ponds\General\_Conformity\2009Phase1ActionsConstruction.urb9

Project Name: 2009-Phase 1 Actions-Construction

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

CONSTRUCTION EMISSION ESTIMATES (Annual Tons Per Year, Unmitigated)

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10 Total</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5 Total</u>	<u>CO2</u>
2009	3.99	40.71	16.06	0.00	0.01	1.60	1.61	0.00	1.47	1.47	4,152.55
Fine Grading 05/01/2009-09/30/2009	3.99	40.71	16.06	0.00	0.01	1.60	1.61	0.00	1.47	1.47	4,152.55
Fine Grading Dust	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Off Road Diesel	3.95	40.58	14.67	0.00	0.00	1.59	1.59	0.00	1.47	1.47	4,025.59
Fine Grading On Road Diesel	0.00	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.04
Fine Grading Worker Trips	0.04	0.08	1.37	0.00	0.01	0.00	0.01	0.00	0.00	0.00	120.92

Phase Assumptions

Phase: Fine Grading 5/1/2009 - 9/30/2009 - Default Fine Site Grading Description

Total Acres Disturbed: 0

Maximum Daily Acreage Disturbed: 0

Fugitive Dust Level of Detail: Default

20 lbs per acre-day

On Road Truck Travel (VMT): 27.52

Off-Road Equipment:

- 3 Cranes (399 hp) operating at a 0.43 load factor for 12 hours per day
- 3 Excavators (168 hp) operating at a 0.57 load factor for 12 hours per day
- 3 Forklifts (145 hp) operating at a 0.3 load factor for 12 hours per day
- 9 Generator Sets (549 hp) operating at a 0.74 load factor for 12 hours per day
- 3 Off Highway Trucks (479 hp) operating at a 0.57 load factor for 12 hours per day
- 3 Other Equipment (190 hp) operating at a 0.62 load factor for 12 hours per day

**10/1/2007 3:04:55 PM**

- 3 Other General Industrial Equipment (238 hp) operating at a 0.51 load factor for 12 hours per day
- 3 Plate Compactors (8 hp) operating at a 0.43 load factor for 12 hours per day
- 3 Pumps (53 hp) operating at a 0.74 load factor for 12 hours per day
- 3 Rollers (95 hp) operating at a 0.56 load factor for 12 hours per day
- 3 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 12 hours per day
- 6 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 12 hours per day
- 3 Water Trucks (189 hp) operating at a 0.5 load factor for 12 hours per day

Urbemis 2007 Version 9.2.2

Detail Report for Annual Construction Unmitigated Emissions (Tons/Year)

File Name: H:\Projects9\_28\salt ponds\General\_Conformity\2010Phase1ActionsOperationRefugeOM\_Pumps.urb9

Project Name: 2010-Phase 1 Actions OM and Pumps

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

CONSTRUCTION EMISSION ESTIMATES (Annual Tons Per Year, Unmitigated)

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10 Total</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5 Total</u>	<u>CO2</u>
2010	0.03	0.17	0.10	0.00	0.00	0.01	0.01	0.00	0.01	0.01	14.98
Fine Grading 05/01/2010-05/11/2010	0.03	0.17	0.10	0.00	0.00	0.01	0.01	0.00	0.01	0.01	14.98
Fine Grading Dust	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Off Road Diesel	0.03	0.17	0.09	0.00	0.00	0.01	0.01	0.00	0.01	0.01	14.40
Fine Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Worker Trips	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58

Phase Assumptions

Phase: Fine Grading 5/1/2010 - 5/11/2010 - Default Fine Site Grading Description

Total Acres Disturbed: 0

Maximum Daily Acreage Disturbed: 0

Fugitive Dust Level of Detail: Default

20 lbs per acre-day

On Road Truck Travel (VMT): 0

Off-Road Equipment:

3 Pumps (53 hp) operating at a 0.74 load factor for 24 hours per day

Urbemis 2007 Version 9.2.2

Combined Annual Emissions Reports (Tons/Year)

File Name: H:\Projects9\_28\salt ponds\General\_Conformity\2010Phase1ActionsOperationRefugeCDFG\_AMP.urb9

Project Name: 2010-Phase 1 Actions Operations RefugeCDFG staff and AMP

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2010 TOTALS (tons/year unmitigated)	0.21	1.93	0.97	0.00	0.00	0.07	0.07	0.00	0.07	0.07	207.20

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.01	0.01	0.09	0.00	0.01	0.00	6.80

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.01	0.01	0.09	0.00	0.01	0.00	6.80

Construction Unmitigated Detail Report:

CONSTRUCTION EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2010	0.21	1.93	0.97	0.00	0.00	0.07	0.07	0.00	0.07	0.07	207.20
Fine Grading 05/01/2010-09/30/2010	0.21	1.93	0.97	0.00	0.00	0.07	0.07	0.00	0.07	0.07	207.20
Fine Grading Dust	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Off Road Diesel	0.21	1.92	0.77	0.00	0.00	0.07	0.07	0.00	0.07	0.07	186.71
Fine Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Worker Trips	0.00	0.01	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.48

Phase Assumptions

Phase: Fine Grading 5/1/2010 - 9/30/2010 - Default Fine Site Grading Description

Total Acres Disturbed: 0

Maximum Daily Acreage Disturbed: 0

Fugitive Dust Level of Detail: Default

20 lbs per acre-day

On Road Truck Travel (VMT): 0

Off-Road Equipment:

1 Off Highway Trucks (479 hp) operating at a 0.57 load factor for 8 hours per day

1 Other General Industrial Equipment (238 hp) operating at a 0.51 load factor for 8 hours per day

1 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 8 hours per day

Operational Unmitigated Detail Report:

OPERATIONAL EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

<u>Source</u>	ROG	NOX	CO	SO2	PM10	PM25	CO2
AMP	0.01	0.01	0.09	0.00	0.01	0.00	6.80
TOTALS (tons/year, unmitigated)	0.01	0.01	0.09	0.00	0.01	0.00	6.80

Operational Settings:

Does not include correction for passby trips

Does not include double counting adjustment for internal trips

Analysis Year: 2010 Season: Annual

Emfac: Version : Emfac2007 V2.3 Nov 1 2006

Summary of Land Uses

Land Use Type	Acreage	Trip Rate	Unit Type	No. Units	Total Trips	Total VMT
AMP		0.79	acres	1.00	0.79	43.45
					0.79	43.45

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Auto	50.0	2.0	97.6	0.4
Light Truck < 3750 lbs	50.0	3.7	90.8	5.5
Light Truck 3751-5750 lbs	0.0	0.9	98.6	0.5
Med Truck 5751-8500 lbs	0.0	1.1	98.9	0.0
Lite-Heavy Truck 8501-10,000 lbs	0.0	0.0	75.0	25.0
Lite-Heavy Truck 10,001-14,000 lbs	0.0	0.0	50.0	50.0

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Med-Heavy Truck 14,001-33,000 lbs	0.0	0.0	20.0	80.0
Heavy-Heavy Truck 33,001-60,000 lbs	0.0	0.0	0.0	100.0
Other Bus	0.0	0.0	0.0	100.0
Urban Bus	0.0	0.0	0.0	100.0
Motorcycle	0.0	77.1	22.9	0.0
School Bus	0.0	0.0	0.0	100.0
Motor Home	0.0	10.0	80.0	10.0

Travel Conditions

	Residential			Commercial		
	Home-Work	Home-Shop	Home-Other	Commute	Non-Work	Customer
Urban Trip Length (miles)	55.0	55.0	55.0	55.0	55.0	55.0
Rural Trip Length (miles)	55.0	55.0	55.0	55.0	55.0	55.0
Trip speeds (mph)	35.0	35.0	35.0	35.0	35.0	35.0
% of Trips - Residential	100.0	0.0	0.0			
% of Trips - Commercial (by land use)						
AMP				0.0	0.0	100.0